


PHA 4151.7 (2/16/4)  
PATENTIN THE CLAIMS

Claims 1-8. (Cancelled)

Claim 9. (Previously presented) A composition comprising a therapeutically-effective amount of a cyclooxygenase-2 inhibitor, a 5-lipoxygenase inhibitor and an immunosuppressive drug selected from antiproliferation agents, antiinflammatory-acting compounds and inhibitors of leukocyte activation.

Claim 10. (Currently amended) The composition of Claim 9 wherein the cyclooxygenase-2 inhibitor is selected from 5-bromo-2-(4-fluorophenyl)-3-[4-(methylsulfonyl)phenyl]-thiophene, N-[2-cyclohexyloxy)-4-nitrophenyl]-methanesulfonamide, 1,1-dioxide-4-hydroxy-2-methyl-N-(5-methyl-2-thiazolyl)-2H-1,2-benzothiazine-3-carboxamide, N-[6-(2,4-difluorophenoxy)-2,3-dihydro-1-oxo-1H-inden-5-yl]-methanesulfonamide and compounds of Formula I or a pharmaceutically acceptable salt of a compound having Formula I **wherein:**



(I)

wherein A is a 5- or 6-member ring substituent selected from partially unsaturated or unsaturated heterocyclo and carbocyclic rings;

wherein  $R^1$  is at least one substituent selected from heterocyclo, cycloalkyl, cycloalkenyl and aryl, wherein  $R^1$  is optionally substituted at a substitutable position with one or more radicals selected from alkyl, haloalkyl, cyano, carboxyl, alkoxycarbonyl, hydroxyl, hydroxyalkyl, haloalkoxy, amino, alkylamino, arylamino, nitro, alkoxyalkyl, alkylsulfinyl, halo, alkoxy and alkylthio;

wherein  $R^2$  is selected from alkyl, and amino; and

PHA 4151.7 (2)16/4  
PATENT

wherein  $R^3$  is a radical selected from halo, alkyl, alkenyl, alkynyl, oxo, cyano, carboxyl, cyanoalkyl, heterocycloxy, alkyloxy, alkylthio, alkylcarbonyl, cycloalkyl, aryl, haloalkyl, heterocyclo, cycloalkenyl, aralkyl, heterocycloalkyl, acyl, alkylthioalkyl, hydroxyalkyl, alkoxy carbonyl, arylcarbonyl, aralkylcarbonyl, aralkenyl, alkoxyalkyl, arylthioalkyl, aryloxyalkyl, aralkylthioalkyl, aralkoxyalkyl, alkoxyaralkoxyalkyl, alkoxy carbonylalkyl, aminocarbonyl, aminocarbonylalkyl, alkylaminocarbonyl, N-arylaminocarbonyl, N-alkyl-N-arylaminocarbonyl, alkylaminocarbonylalkyl, carboxyalkyl, alkylamino, N-aryl amino, N-aralkyl amino, N-alkyl-N-aralkyl amino, N-alkyl-N-aryl amino, aminoalkyl, alkylaminoalkyl, N-aryl aminoalkyl, N-aralkyl aminoalkyl, N-alkyl-N-aralkyl aminoalkyl, N-alkyl-N-aryl aminoalkyl, aryloxy, aralkoxy, arylthio, aralkylthio alkylsulfinyl, alkylsulfonyl, aminosulfonyl, alkylaminosulfonyl, N-arylaminosulfonyl, arylsulfonyl, N-alkyl-N-arylaminosulfonyl.

Claim 11. (Previously presented) The composition of Claim 9 wherein the 5-lipoxygenase inhibitor is selected from ( $R^*, S^*$ )-4,4-(2,3-dimethyl-1,4-butanediyl)bis-1,2-benzenediol, (Z)-5-Chloro-2,3-dihydro-3-(hydroxy-2-thienylmethylene)-2-oxo-1H-indole-1-carboxamide, N-(1-Benzo[b]thien-2-yl-ethyl)-N-hydroxyurea, 4-[2',4'-difluorobiphenyl]-4-oxo-methyl-butanic acid, 6-chloro-2,3-dimethoxynaphthalene-1,4-diol-diacetate, (2E)-N-[4-[4-(diphenylmethyl)-1-piperazinyl]butyl]-3-(6-methyl-3-pyridinyl)-2-propenamide, 1-methyl-6-[[[3-(tetrahydro-4-methoxy-2-methyl-2H-pyran-4-yl)-2-propenyl]oxy]methyl]-2(1H)-quinolinone, N-Hydroxy-N-[4-[3-(4-fluorophenoxy)phenyl]-3-butyn-2-yl]-urea, N-[[5-(4-fluorophenoxy)furan-2-yl]-1-methyl-2-propynyl]-N-hydroxyurea, N-[3-[5-(4-fluorophenoxy)-2-furanyl]-1-methyl-2-propynyl]-N-hydroxyurea, (R)-(+)-N-[3-[5-(4-fluorophenyl)methyl]-2-thienyl]-1-methyl-2-propynyl]-N-hydroxyurea, N-[4-[4-(diphenylmethyl)-1-piperazinyl]butyl]-3-(6-methyl-3-pyridyl) acrylamide, (R)-2-[4-(quinolin-2-yl-methoxy)phenyl]-2-cyclopentyl-acetic acid, dihydro-4-(3,5-di-tert-butyl-4-hydroxybenzylidene)-2-methyl-2H-1,2-oxazin-3(4H)-one, 2-butyl-4-methoxy-1-

PHA 4151.7 (2/16/4)  
PATENT

naphthalenol-acetate, N'-[[2-[2-[(4-chlorophenyl)thio] ethoxy]-3-methoxy-5-[(2R,3R)-tetrahydro-5-(3,4,5-trimethoxyphenyl)-2-furanyl] phenyl]methyl]-N-hydroxy-N-methyl-urea, 2,3,5-Trimethyl-6-(3-pyridylmethyl)-1,4-benzoquinone, 4,6-dimethyl-2-[(6-phenylhexyl)amino]-5-pyrimidinol phosphate (1:1) (salt), 4-(2-quinolylmethoxy)-N-(3-fluorobenzyl-phenyl-amino-methyl-4-benzoic-acid, 4-[(4-fluorophenyl) methyl]-2-[hexahydro-1-(2-phenylethyl)-1H-azepin-4-yl]-1(2H)-phthalazinone, 3-[1-(4-chlorobenzyl)-3-*t*-butyl-thio-5-isopropylindol-2-yl]-2, 2-dimethylpropanoic acid, [2,4-dimethyl-6-(4-chlorophenyl)-7-phenyl-2, 3-dihydro-1H-pyrrolizine-5-yl]-acetic acid 6-[[4-(4-chlorophenoxy) phenoxy]methyl]-1-hydroxy-4-methyl-2(1H)-pyridinone, 10-(3-chlorophenyl)-6,8,9,10-tetrahydro- benzo[b][1,8]naphthyridin-5(7H)-one, 5-(4-chlorophenyl)-N-hydroxy-(4-methoxyphenyl)-N-methyl-1H-pyrazole-3-propanamic acid, 1-[[5-(3-methoxy-4-ethoxycarbonyloxyphenyl)-2,4-pentadienoyl]aminoethyl]-4-diphenylmethoxypiperidine, 6-[[3-fluoro-5-[4-methoxy-3,4,5,6-tetrahydro-2H-pyran-4-yl]]phenoxy-methyl]-1-methyl-2-quinolone, 2-amino-5-hydroxy-8-methylnonyl ester-benzoic acid, 3,6-dimethoxy-1,2-dimethyl-9H-carbazol-4-ol, 6-diazo-3-methyl-4-[(1E)-1,3,5-trimethyl-1-hexenyl]-2,5,7,8(1H,6H)-quinolinetetrone, N-[2-[[2-[(4'-fluoro[1,1'-biphenyl]-4-yl)methyl]-1,2,3,4-tetrahydro-1-oxo-6-isoquinolinyloxy]ethyl]-N-hydroxy-urea, (Z)-5-[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-methylene]-2-imino-4-thiazolidinone- methanesulfonate salt, 4-[4,6-bis-*t*-butyl-5-hydroxy-2-pyrimidinyl]-1,3-dihydro-5-methyl-2H-imidazol-2-one, 6-hydroxy-5,7-dimethyl-2-methylamino-4-(3-pyridylmethyl)-benzothiazole, N-[2-(4-(benzhydryloxy)piperidino)ethyl]-3-hydroxy-5-(3-pyridylmethoxy)-2-naphthamide, 2,2-dibutyl-1,2,3,4-tetrahydro-5-(2-quinolinyloxy)-1-naphthalenol, (2-[2-[1-(4-chlorobenzyl)-4-methyl-6-[(5-phenylpyridin-2-yl)methoxy]-4,5-dihydro-1H-thiopyrano[2,3,4-*cd*]indol-2-yl]ethoxy]-butanoic acid, 1,6-anhydro-3-C-[6-[[[7-cyano-5-(3-furanyl)-2-naphthalenyl]oxy]methyl]-2-pyridinyl]-2,4-dideoxy-*b*-D-threohexopyranose, 5-[[3,5-bis(1,1-dimethylethyl)-4-hydroxy phenyl]methylene]-3-(methylamino)-4-thiazolidinone, 5-[[3,5-bis(1,1-dimethyl ethyl)-4-hydroxyphenyl]methylene]-4-thiazolidinone, (S)-N-hydroxy-N-(2,3-dihydro-6-

PHA 4151.7 (2)16/4)  
PATENT

phenylmethoxy-3-benzylofuran-yl)-urea, 1-[(4-chlorophenyl)methyl]-2-methyl-5-(2-quinolinylmethoxy)-1H-indole-3-acetic acid, 2-[2,3-dihydro-1-methoxy-6-(2-naphthalenylmethoxy)-1H-inden-1-yl]-thiazole, (6-[(3-fluoro-5-[4-methoxy-3,4,5,6-tetrahydro-2H-pyran-4-yl)]phenoxy)methyl]-1-ethyl-2-quinolone, 1,2-dihydro-n-(2-thiazolyl)-1-oxopyrrolo(3,2,1-kl)phenothiazine-1-carboxamide, tetrahydro-1-phenyl-1,2,4-triazin-3(2H)-one, N-[1-(3-Furyl)ethyl]-N-hydroxyurea, N-hydroxy-N-[1-[4-(phenylmethoxy)phenyl]ethyl]-acetamide, 1-[4-[3-[4-[bis(4-fluorophenyl)hydroxymethyl]-1-piperidinyl]propoxy]-3-methoxyphenyl]-ethanone, mono[2,6-dimethyl-4-[(1E)-2-(2-thienyl)ethenyl]phenyl]-butanedioic acid, 2,6-bis(1,1-dimethylethyl)-4-[2-(3-pyridinyl)ethenyl]-phenol, 2,6-dimethyl-4-[2-(2-thienyl)ethenyl]-phenol, 9-phenylnonanophydroxamic acid, 4-hydroxy-3-methoxy-1,2-dimethylcarbazole, N-hydroxy-N-[1-methyl-3-(3-phenoxyphenyl)-2-propenyl]-acetamide, 2-phenylhydrazide-benzenecarboximidic acid, 4-(cyclohexyl methylamino)-1,2-naphthalenediol, diacetate ester, (2E)-3-[4-(2,5-dimethyl-1H-pyrrol-1-yl)phenyl]-N-hydroxy-N-methyl-2-propenamide, N-hydroxy-N-[(6-phenoxy-2H-1-benzopyran-3-yl)methyl]-urea, N-[(6-(4-fluorophenoxy)-2H-1-benzopyran-3-yl)methyl]-N-hydroxy-N-methyl-urea, methyl 2-[(3,4-dihydro-3,4-dioxo-1-naphthalenyl)amino]-benzoate, monohydrobromide-6-(2,2-dimethylhydrazino)-5,6,7,8-tetrahydro-1,2-naphthalenediol, 5-[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]-1,3,4-thiadiazole-2(3H)-thione, choline salt, 5-[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]methylene]-2,4-thiazolidinedione, 3',4',5-trihydroxy-6,7-dimethoxyflavone, 3,5,6-trimethyl-1,4-dione-2-(12-hydroxy-5,10-dodecadienyl)-2,5-cyclohexadiene, 2-benzyl-1-naphthol, N-methoxy-3-(3,5-di-tert-butyl-4-hydroxybenzylidene pyrrolidin-2-one, 6-hydroxy-2-(4-sulfamoylbenzylamino)-4,5,7-trimethylbenzothiazole hydrochloride, 4-[(1E)-2-(4-fluorophenyl)ethenyl]-2,6-dimethylphenol, 1,6-diol, 4-(hydroxymethyl)-7-methyl-8-[3-methyl-3-(3-methylbutyl)oxiranyl]-9H-carbazole, 5-(3-phenylpropyl)-2-thiophenepentanoic acid, 4,5-dihydro-5-methyl-1-(4,5,6,7-tetrahydro-2-benzothiazolyl)-1H-pyrazol-3-amine, 4-[(2E)-3-(3,4-dihydroxyphenyl)-2-propenoate]-2-(3,4-dihydroxyphenyl)ethyl-6-O-(6-deoxy-a-L-

PHA 4151.7 (2:16/4)  
PATENT

mannopyranosyl)- $\beta$ -D-Glucopyranoside, N-(4-methoxyphenyl)-1-phenyl-1H-pyrazol-3-amine, 1-[3-(naphth-2-ylmethoxy)phenyl]-1-(thiazol-2-yl)propyl methyl ether, 2-N-heptyl-4-hydroxyquinoline-N-oxide, 4-bromo-2,7-dimethoxy-3,4-phenothizin-3-one, 6-[1-[2-(hydroxymethyl)phenyl]-1-propen-3-yl]-2,3-dihydro-5-benzofuranol, 3-hydroxy-5-trifluoromethyl-N-(2-(2-thienyl)-2-phenyl-ethenyl)-benzo(b)thiophene-2-carboxamide, 2-[[4-(4-methoxyphenyl)methyl]-3-methyl-4-hydroxy-5-propyl-7-chlorobenzofuran, 2,3-dihydro-6-(3-phenoxypropyl)-2-(2-phenylethyl)-5-benzofuranol, [[4-(4-chlorophenyl)-1-[4-(2-quinolinylmethoxy)phenyl]butyl]thio]-acetic acid, N-hydroxy-N-methyl-3-[2-(methylthio)phenyl]-2-propenamide, 3-(1-[(4-chlorophenyl)methyl]-3-[(1,1-dimethylethyl)thio]-5(quinolin-2-yl-methyl-oxy)-1H-indol-2-yl)-2,2-dimethyl-propanoate, N-hydroxy-14-methyl-N-nitroso-1-pentadecanamine, 2-amino-4-[(4-methylphenyl)thio]-phenol hydrochloride, (2E,11Z,14Z)-N-[2,3-dihydro-3-(1H-tetrazol-5-yl)-1,4-benzodioxin-5-yl]-N-methyl-2,11,14-eicosatrienamide, (2E,11Z,14Z)-N-[4-hydroxy-2-(1H-tetrazol-5-yl)-8-quinolinyl]-2,11,14-eicosatrienamide, (E)-2,6-bis(1,1-dimethyl-ethyl)-4-[2-(5-methyl-1H-pyrazol-3-yl)ethenyl]-phenol, 2-[3(1-hydroxyhexyl)phenoxy-methyl]-quinoline hydrochloride, N-hydroxy-N-methyl-7-propoxy-2-naphthaleneethanamine, methyl-2-[[3-(1-hydroxypentyl)phenoxy]methyl]-benzoic acid (ester),  $\alpha$ -pentyl-3-(2-quinolinylmethoxy)-benzenemethanol, N-hydroxy-N-methyl-4-(phenylmethoxy)-benzeneacetamide, 3-(3,5-bis(1,1-dimethyl)-4-hydroxyphenyl)thiol]-N-methyl-N-[2-(2-pyridinyl)-propanamide], (R\*, S\*)-1-methylpropoxy)-[(1R,2S)-2-[[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl]thio]-acetic acid, 2-(4-fluorophenyl)-6,7-dihydro-3-(4-pyridinyl)-5H-pyrrolo[1,2-a]-imidazole, 6,7-dihydro-2-(4-methoxyphenyl)-3-(4-pyridinyl)-5H-pyrrolo[1,2-a]-imidazole, 2-(4-methylsulfinylphenyl)-3-(4-pyridyl)-6,7-dihydro-[5H]-pyrrolo[1,2-a]-imidazole, (7E)-8-(2-naphthyl)-5,6-trans-5,6-methano-7-octenoic acid, (2E,4E)-N-[2-[4-(diphenylmethoxy)-1-piperidinyl]ethyl]-5-(4-hydroxy-3-methoxyphenyl)-2,4-pentadienamide, (2E)-N-[2-[4-(diphenylmethoxy)-1-piperidinyl]ethyl]-3-(4-hydroxy-3-methoxyphenyl)-2-propenamide, (2E)-N-[3-[4-(diphenylmethyl)-1-piperazinyl]propyl]-3-(4-hydroxy-3-methoxyphenyl)-2-propenamide, (2Z,5Z,8Z,11Z,14Z,17Z)-N-[4-[(2E)-3-

PHA 4151.7 (2/16/4)  
PATENT

(3,4-dihydroxyphenyl)-1-oxo-2-propenyl]amino]butyl]-2,5,8,11,14,17-eicosahexaenamide, (2E)-N-[2-[4-[(4-chlorophenyl) phenylmethyl]-1-piperazinyl]ethyl]-3-(4-hydroxy-3-methoxyphenyl)-2-propenamide, 2-(4-hydroxy-3,5-dimethylphenyl)-5-methoxy-3-methylindole, 1,8-diethyl-1,3,4,9-tetrahydro-6-(2-quinolinylmethoxy)pyrano[3,4-b]indole-1-acetic acid, 2-[(1-naphthalenyloxy)methyl]-quinoline, 1,1,1-trifluoro-N-[3-(2-quinolinylmethoxy)phenyl]-methanesulfonamide,  $\alpha$ -methyl-6-(2-quinolinylmethoxy)-2-naphthalene-acetic acid, and 1-butyl-5-hydroxy-2-methyl-N-[1-(2-phenylethyl)-4-piperidiny]-1H-indole-3-carboxamide, hydrochloride.

Claim 12. (Previously presented) The composition of Claim 11 wherein the 5-lipoxygenase inhibitor is selected from (R\*,S\*)-4,4-(2,3-dimethyl-1,4-butanediyl)bis-1,2-benzenediol, (Z)-5-Chloro-2,3-dihydro-3-(hydroxy-2-thienylmethylene)-2-oxo-1H-indole-1-carboxamide, N-(1-Benzo[b]thien-2-yl-ethyl)-N-hydroxyurea, 4-[2',4'-difluorobiphenyl]-4-oxo-methyl-butanic acid, 6-chloro-2,3-dimethoxynaphthalene-1,4-diol diacetate, (2E)-N-[4-[4-(diphenylmethyl)-1-piperazinyl]butyl]-3-(6-methyl-3-pyridinyl)-2-propenamide, 1-methyl-6-[[[3-(tetrahydro-4-methoxy-2-methyl-2H-pyran-4-yl)-2-propenyl]oxy]methyl]-2(1H)-quinolinone, N-Hydroxy-N-[4-[3-(4-fluorophenoxy)phenyl]-3-butyn-2-yl]-urea N-[[5-(4-fluorophenoxy)furan-2-yl]-1-methyl-2-propynyl]-N-hydroxyurea, N-[3-[5-(4-fluorophenoxy)-2-furanyl]-1-methyl-2-propynyl]-N-hydroxyurea, (R)-(+)-N-[3-[5-(4-fluorophenyl)methyl]-2-thienyl]-1-methyl-2-propynyl]-N-hydroxyurea, N-[4-[4-(diphenylmethyl)-1-piperazinyl]butyl]-3-(6-methyl-3-pyridyl) acrylamide, (R)-2-[4-(quinolin-2-yl-methoxy)phenyl]-2-cyclopentyl-acetic acid, dihydro-4-(3,5-di-tert-butyl-4-hydroxybenzylidene)-2-methyl-2H-1,2-oxazin-3(4H)-one, 2-butyl-4-methoxy-1-naphthalenol-acetate, N'-[[2-[2-[(4-chlorophenyl)thio] ethoxy]-3-methoxy-5-[(2R,5R)-tetrahydro-5-(3,4,5-trimethoxyphenyl)-2-furanyl] phenyl]methyl]-N-hydroxy-N-methyl-urea, 2,3,5-Trimethyl-6-(3-pyridylmethyl)-1,4-benzoquinone, N-[2-[[2-[(4'-fluoro[1,1'-biphenyl]-4-yl)methyl]-1,2,3,4-tetrahydro-1-oxo-6-isoquinolinyl]oxy]ethyl]-N-hydroxy-urea, 4,6-dimethyl-2-[(6-phenyl hexyl)amino]-5-pyrimidinol phosphate (1:1) (salt), 4-(2-

PHA 4151.7 (2/16/4)  
PATENT

quinolylmethoxy)-N-(3-fluorobenzyl-phenyl-amino-methyl-4-benzoic-acid, 4-[(4-fluorophenyl) methyl]-2-[hexahydro-1-(2-phenylethyl)-1H-azepin-4-yl]-1(2H)-phthalazinone, 6-chloro-2,3-dimethoxynaphthalene-1,4-diol-diacetate, 3-[1-(4-chlorobenzyl)-3-*t*-butyl-thio-5-isopropylindol-2-yl]-2, 2-dimethylpropanoic acid, (2-[2-[1-(4-chlorobenzyl)-4-methyl-6-[(5-phenylpyridin-2-yl)methoxy]-4,5-dihydro-1H-thiopyrano[2,3,4-cd]indol-2-yl]ethoxy]-butanoic acid, [2,2-dimethyl-6-(4-chlorophenyl)-7-phenyl-2, 3-dihydro-1H-pyrrolizine-5-yl]-acetic acid, 6-[[4-(4-chlorophenoxy)phenoxy]methyl]-1-hydroxy-4-methyl-2(1H)-pyridinone, 10-(3-chlorophenyl)-6,8,9 10-tetrahydro- benzo[b][1,8]naphthyridin-5(7H)-one, 5-(4-chlorophenyl)-N-hydroxy-(4-methoxyphenyl)-N-methyl-1H-pyrazole-3-propanamide, 1-[(5-(3-methoxy-4-ethoxycarbonyloxyphenyl)-2,4-pentadienoyl]aminoethyl)-4-diphenylmethoxypiperidine, 2-[2,3-dihydro-1-methoxy-6-(2-naphthalenylmethoxy)-1H-inden-1-yl]-thiazole, (6-[3-fluoro-5-[4-methoxy-3,4,5,6-tetrahydro-2H-pyran-4-yl]]phenoxy)methyl]-1-ethyl-2-quinolone, and 6-[(3-fluoro-5-[4-methoxy-3,4,5,6-tetrahydro-2H-pyran-4-yl]]phenoxy)methyl]-1-methyl-2-quinolone.

Claim 13. (Previously presented) The composition of Claim 12 wherein the 5-lipoxygenase inhibitor is selected from (Z)-5-Chloro-2,3-dihydro-3-(hydroxy-2-thienylmethylene)-2-oxo-1H-indole-1-carboxamide, N-(1-Benzo[b]thien-2-yl-ethyl)-N-hydroxyurea, 4-[2',4'-difluorobiphenyl]-4-oxo-methyl-butanic acid, 6-chloro-2,3-dimethoxynaphthalene-1,4-diol-diacetate, (2E)-N-[4-[4-(diphenylmethyl)-1-piperazinyl]butyl]-3-(6-methyl-3-pyridinyl)-2-propenamide, 1-methyl-6-[[[3-(tetrahydro-4-methoxy-2-methyl-2H-pyran-4-yl)-2-propenyl]oxy]methyl]-2(1H)-quinolinone, N-Hydroxy-N-[4-[3-(4-fluorophenoxy)phenyl]-3-butyn-2-yl]-urea, N-[[5-(4-fluorophenoxy)furan-2-yl]-1-methyl-2-propynyl]-N-hydroxyurea, N-[3-[5-(4-fluorophenoxy)-2-furanyl]-1-methyl-2-propynyl]-N-hydroxyurea, (R)-(+)-N-[3-[5-[(4-fluorophenyl)methyl]-2-thienyl]-1-methyl-2-propynyl]-N-hydroxyurea, N-[2-[2-[(4'-fluoro[1,1'-biphenyl]-4-yl)methyl]-1,2,3,4-tetrahydro-1-oxo-6-isoquinolinyloxy]ethyl]-N-hydroxy-urea, dihydro-4-(3,5-di-*tert*-butyl-

PHA 4151.7 (2/16/4)  
PATENT

4-hydroxybenzylidene)-2-methyl-2H-1,2-oxazin-3(4H)-one, 4-(2-quinolylmethoxy)-N-(3-fluorobenzyl-phenyl-amino-methyl-4-benzoic-acid, 6-chloro-2,3-dimethoxynaphthalene-1,4-diol-diacetate, (2-[2-[1-(4-chlorobenzyl)-4-methyl-6-[(5-phenylpyridin-2-yl)methoxy]-4,5-dihydro-1H-thiopyrano[2,3,4-cd]indol-2-yl]ethoxy]-butanoic acid, [2,2-dimethyl-6-(4-chlorophenyl)-7-phenyl-2,3-dihydro-1H-pyrrolizine-5-yl]-acetic acid, 1-[(5-(3-methoxy-4-ethoxycarbonyloxyphenyl)-2,4-pentadienoyl]aminoethyl)-4-diphenylmethoxypiperidine, 2-[2,3-dihydro-1-methoxy-6-(2-naphthalenylmethoxy)-1H-inden-1-yl]-thiazole, (6-(3-fluoro-5-[4-methoxy-3,4,5,6-tetrahydro-2H-pyran-4-yl])phenoxy)methyl]-1-ethyl-2-quinolone, and 6-[(3-fluoro-5-[4-methoxy-3,4,5,6-tetrahydro-2H-pyran-4-yl])phenoxy)methyl]-1-methyl-2-quinolone.

Claim 14. (Previously presented) The composition of claim 10 wherein A is selected from oxazolyl, isoxazolyl, thienyl, dihydrofuryl, furyl, pyrrolyl, pyrazolyl, thiazolyl, imidazolyl, isothiazolyl, cyclopentenyl, phenyl, and pyridyl; wherein R<sup>1</sup> is selected from 5- and 6-membered heterocyclo, lower cycloalkyl, lower cycloalkenyl and aryl selected from phenyl, biphenyl and naphthyl, wherein R<sup>1</sup> is optionally substituted at a substitutable position with one or more radicals selected from lower alkyl, lower haloalkyl, cyano, carboxyl, lower alkoxy carbonyl, hydroxyl, lower hydroxyalkyl, lower haloalkoxy, amino, lower alkylamino, phenylamino, nitro, lower alkoxyalkyl, lower alkylsulfinyl, halo, lower alkoxy and lower alkylthio; wherein R<sup>2</sup> is selected from lower alkyl and amino; and wherein R<sup>3</sup> is a radical selected from halo, lower alkyl, oxo, cyano, carboxyl, lower cycloalkyl, heteroaryloxy, lower alkyloxy, lower cycloalkyl, phenyl, lower haloalkyl, 5- or 6-membered heterocyclo, lower hydroxyalkyl, lower aralkyl, acyl, phenylcarbonyl, lower alkoxyalkyl, heteroaryloxy, alkoxy carbonyl, aminocarbonyl, alkylaminocarbonyl, alkylamino, aminoalkyl, alkylaminoalkyl, aryloxy, and aralkoxy.

Claim 15. (Previously presented) The composition of Claim 14 wherein A is selected from oxazolyl, isoxazolyl, dihydrofuryl, imidazolyl, and pyrazolyl; wherein R<sup>1</sup> is



PHA 4151.7 (2/16/4)  
PATENT

selected from 5- and 6-membered heterocyclo, and aryl selected from phenyl, biphenyl and naphthyl, wherein R<sup>1</sup> is optionally substituted at a substitutable position with one or more radicals selected from lower alkyl, lower haloalkyl, cyano, carboxyl, lower alkoxy, lower alkoxy, lower hydroxyalkyl, lower haloalkoxy, amino, lower alkylamino, phenylamino, nitro, lower alkoxyalkyl, lower alkylsulfinyl, halo, lower alkoxy and lower alkylthio; wherein R<sup>2</sup> is amino; and wherein R<sup>3</sup> is a radical selected from oxo, cyano, carboxyl, lower alkoxy, lower alkoxy, lower carboxyalkyl, lower cyanoalkyl, halo, lower alkyl, lower alkoxy, lower cycloalkyl, phenyl, lower haloalkyl, 5- or 6-membered heterocyclo, lower hydroxyalkyl, lower aralkyl, acyl, phenylcarbonyl, lower alkoxyalkyl, 5- or 6-membered heteroaryloxy, aminocarbonyl, lower alkylaminocarbonyl, lower alkylamino, lower aminoalkyl, lower alkylaminoalkyl, phenyloxy, and lower aralkoxy.

Claim 16. (Previously presented) The composition of Claim 15 wherein A is selected from oxazolyl, isoxazolyl, imidazolyl, and pyrazolyl; wherein R<sup>1</sup> is phenyl optionally substituted at a substitutable position with one or more radicals selected from methyl, ethyl, isopropyl, butyl, tert-butyl, isobutyl, pentyl, hexyl, trifluoromethyl, cyano, carboxyl, methoxycarbonyl, hydroxyl, hydroxymethyl, trifluoromethoxy, amino, N-methylamino, N,N-dimethylamino, N-ethylamino, N-dipropylamino, butylamino, methyl-N-ethylamino, nitro, methoxymethyl, methylsulfinyl, fluoro, chloro, bromo, methoxy, ethoxy, propoxy, n-butoxy, pentoxy, and methylthio; wherein R<sup>2</sup> is amino; and wherein R<sup>3</sup> is a radical selected from oxo, cyano, carboxyl, methoxycarbonyl, ethoxycarbonyl, carboxypropyl, carboxymethyl, carboxyethyl, cyanomethyl, fluoro, chloro, bromo, methyl, ethyl, isopropyl, butyl, tert-butyl, isobutyl, pentyl, hexyl, fluoromethyl, difluoromethyl, trifluoromethyl, pentafluoroethyl, dichloromethyl, trichloromethyl, pentafluoroethyl, heptafluoropropyl, fluoromethyl, difluoroethyl, difluoropropyl, dichloroethyl, dichloropropyl, methoxy, ethoxy, propoxy, n-butoxy, pentoxy, cyclohexyl, phenyl, pyridyl, thienyl, thiazolyl, oxazolyl, furyl, pyrazinyl, hydroxymethyl, hydroxypropyl, benzyl, formyl, phenylcarbonyl, methoxymethyl, furylmethyloxy,

PHA 4151.7 (2/16/4)  
PATENT

aminocarbonyl, N-methylaminocarbonyl, N-dimethylaminocarbonyl, N,N-methylamino, N-ethylamino, N,N-dipropylamino, N-butylamino, N-methyl-N-ethylamino, aminomethyl, N,N-dimethylaminomethyl, N-methyl-N-ethylaminomethyl, benzyloxy, and phenoxy.

Claim 17. (Previously presented) The composition of Claim 16 wherein the cyclooxygenase-2 inhibitor is selected from compounds, their prodrugs and their pharmaceutically-acceptable salts, of the group consisting of


- 3-(3,4-difluorophenyl)-4-(4-methylsulfonylphenyl)-2-(5H)-furanone;
- 3-phenyl-4-(4-methylsulfonylphenyl)-2-(5H)-furanone;
- 4-[5-(4-chlorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
- 4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
- 4-[5-(3-fluoro-4-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;
- 3-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine;
- 2-methyl-5-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine;
- 4-[2-(5-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;
- 4-[5-methyl-3-phenylisoxazol-4-yl]benzenesulfonamide;
- 4-[5-hydroxyethyl-3-phenylisoxazol-4-yl]benzenesulfonamide;
- [2-trifluoromethyl-5-(3,4-difluorophenyl)-4-oxazolyl]benzenesulfonamide;
- 4-[2-methyl-4-phenyl-5-oxazolyl]benzenesulfonamide; and
- 4-[5-(3-fluoro-4-methoxyphenyl)-2-trifluoromethyl]-4-oxazolyl]benzenesulfonamide.

Claim 18. (Previously presented) The composition of Claim 9 wherein the leukocyte activation inhibitor is a cyclosporin compound.

PHA 4151.7 (2916/4)  
PATENT

Claim 19. (Previously presented) The composition of Claim 18 wherein the cyclosporin compound is cyclo[L-alanyl-D-alanyl-N-methyl-L-leucyl-N-methyl-L-leucyl-N-methyl-L-valyl-(3R,4R,6E)-6,7-didehydro-3-hydroxy-N,4-dimethyl-L-2-aminooctanoyl-L-2-aminobutanoyl-N-methylglycyl-N-methyl-L-leucyl-L-valyl-N-methyl-L-leucyl].

Claim 20. (Currently amended) A pharmaceutical composition comprising a pharmaceutically-acceptable carrier and a therapeutically-effective amount of a 5-lipoxygenase inhibitor, a cyclosporin compound and a cyclooxygenase-2 inhibitor selected from Dupont Dup 697, Taisho NS-398, meloxicam, flosulide and compounds of Formula I or a pharmaceutically acceptable salt of a compound having Formula I wherein:



(I)

wherein A is a 5- or 6-member ring substituent selected from partially unsaturated or unsaturated heterocyclic and carbocyclic rings;

wherein R<sup>1</sup> is at least one substituent selected from heterocyclic, cycloalkyl, cycloalkenyl and aryl, wherein R<sup>1</sup> is optionally substituted at a substitutable position with one or more radicals selected from alkyl, haloalkyl, cyano, carboxyl, alkoxycarbonyl, hydroxyl, hydroxyalkyl, haloalkoxy, amino, alkylamino, arylamino, nitro, alkoxyalkyl, alkylsulfinyl, halo, alkoxy and alkylthio;

wherein R<sup>2</sup> is selected from alkyl, and amino; and

wherein R<sup>3</sup> is a radical selected from halo, alkyl, alkenyl, alkynyl, oxo, cyano, carboxyl, cyanoalkyl, heterocycloxy, alkyloxy, alkylthio, alkylcarbonyl, cycloalkyl, aryl, haloalkyl, heterocyclic, cycloalkenyl, aralkyl, heterocycloalkyl, acyl, alkylthioalkyl, hydroxyalkyl, alkoxycarbonyl, arylcarbonyl, aralkylcarbonyl, aralkenyl, alkoxyalkyl, arylthioalkyl, aryloxyalkyl, aralkylthioalkyl, aralkoxyalkyl, alkoxyaralkoxyalkyl,

PHA 4151.7 (2/16/4)  
PATENT

alkoxycarbonylalkyl, aminocarbonyl, aminocarbonylalkyl, alkylaminocarbonyl, arylaminocarbonyl, alkyl-N-arylaminocarbonyl, alkylaminocarbonylalkyl, carboxylalkyl, alkylamino, arylamino, N-aralkylamino, N-alkyl-N-arylaminocarbonyl, alkyl-N-aryl amino, aminoalkyl, alkylaminoalkyl, arylaminoalkyl, N-aralkylaminoalkyl, alkyl-N-aralkylaminoalkyl, alkyl-N-aryl aminoalkyl, aryloxy, aralkoxy, arylthio, aralkylthio, alkylsulfinyl, alkylsulfonyl, aminosulfonyl, alkylaminosulfonyl, arylaminosulfonyl, arylsulfonyl, alkyl-N-arylaminosulfonyl.

Claim 21. (Cancelled)

Claim 22. (Previously presented) A composition comprising:

a 5-lipoxygenase inhibitor selected from the group consisting of:

(Z)-5-Chloro-2,3-dihydro-3-(hydroxy-2-thienylmethylene)-2-oxo-1H-indole-1-carboxamide, (1-Benzo[b]thien-2-yl-ethyl)-N-hydroxyurea, 4-[2',4'-difluorobiphenyl]-4-oxo-methyl-butanic acid, 6-chloro-2,3-dimethoxynaphthalene-1,4-diol-diacetate, (2E)-1-[4-[4-(diphenylmethyl)-1-piperazinyl]butyl]-3-(6-methyl-3-pyridinyl)-2-propenamide, 1-methyl-6-[[[3-(tetrahydro-4-methoxy-2-methyl-2H-pyran-4-yl)-2-propenyl]oxy]methyl]-2(1H)-quinolinone, Hydroxy-N-[4-[3-(4-fluorophenoxy)phenyl]-3-butyn-2-yl]-urea, N-[[5-(4-fluorophenoxy)furan-2-yl]-1-methyl-2-propynyl]-N-hydroxyurea, [3-[5-(4-fluorophenoxy)-2-furanyl]-1-methyl-2-propynyl]-N-hydroxyurea, (R)-(+)-N-[3-[5-[(4-fluorophenyl)methyl]-2-thienyl]-1-methyl-2-propynyl]-N-hydroxyurea, [2-[2-[(4'-fluoro[1,1'-biphenyl]-4-yl)methyl]-1,2,3,4-tetrahydro-1-oxo-6-isoquinolinyloxy]ethyl]-N-hydroxy-urea, dihydro-4-(3,5-di-tert-butyl-4-hydroxybenzylidene)-2-methyl-2H-1,2-oxazin-3(4H)-one, 4-(2-quinolylmethoxy)-N-(3-fluorobenzyl-phenyl-amino-methyl-4-benzoic-acid, 6-chloro-2,3-dimethoxynaphthalene-1,4-diol-diacetate, (2-[2-[1-(4-chlorobenzyl)-4-methyl-6-[(5-phenylpyridin-2-yl)methoxy]-4,5-dihydro-1H-thiopyrano[2,3,4-cd]indol-2-yl]ethoxy]-butanoic acid, [2,2-dimethyl-6-(4-chlorophenyl)-7-phenyl-2,3-dihydro-1H-pyrrolizine-5-yl]-acetic acid, 1-[(5-(3-methoxy-4-

PHA 4151.7 (2916/4)  
PATENT

ethoxycarbonyloxyphenyl)-2,4-pentadienoyl]aminoethyl)-4-diphenylmethoxypiperidine, 2-[2,3-dihydro-1-methoxy-6-(2-naphthalenylmethoxy)-1H-inden-1-yl]-thiazole, (6-[(3-fluoro-5-[4-methoxy-3,4,5,6-tetrahydro-2H-pyran-4-yl])phenoxy-methyl]-1-ethyl-2-quinolone, and 6-[(3-fluoro-5-[4-methoxy-3,4,5,6-tetrahydro-2H-pyran-4-yl])phenoxy-methyl]-1-methyl-2-quinolone;

a cyclooxygenase-2 inhibitor selected from the group consisting of:

3-(3,4-difluorophenyl)-4-(4-methylsulfonylphenyl)-2-(5H)-furanone;

3-phenyl-4-(4-methylsulfonylphenyl)-2-(5H)-furanone;

4-[5-(4-chlorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;

4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;

4-[5-(3-fluoro-4-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide;

3-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine;

2-methyl-5-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine;

4-[2-(5-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide;

4-[5-methyl-3-phenylisoxazol-4-yl]benzenesulfonamide;

4-[5-hydroxyethyl-3-phenylisoxazol-4-yl]benzenesulfonamide;

[2-trifluoromethyl-5-(3,4-difluorophenyl)-4-oxazolyl]benzenesulfonamide;

4-[2-methyl-4-phenyl-5-oxazolyl]benzenesulfonamide; and

4-[5-(3-fluoro-4-methoxyphenyl)-2-trifluoromethyl]-4-oxazolyl]benzenesulfonamide; and

a cyclosporin compound.

Claim 23. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 3-(3,4-difluorophenyl)-4-(4-methylsulfonylphenyl)-2-(5H)-furanone.

PHA 4151.7 (2/16/4)  
PATENT

Claim 24. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 3-phenyl-4-(4-methylsulfonylphenyl)-2-(5H)-furanone.

Claim 25. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 4-[5-(4-chlorophenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide.

Claim 26. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide.

Claim 27. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 4-[5-(3-fluoro-4-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide.

Claim 28. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 3-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine.

Claim 29. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 2-methyl-5-[1-[4-(methylsulfonyl)phenyl]-4-trifluoromethyl-1H-imidazol-2-yl]pyridine.

Claim 30. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 4-[2-(5-methylpyridin-3-yl)-4-(trifluoromethyl)-1H-imidazol-1-yl]benzenesulfonamide.

PHA 4151.7 (2/16/4)  
PATENT

Claim 31. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 4-[5-methyl-3-phenylisoxazol-4-yl]benzenesulfonamide.

Claim 32. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 4-[5-hydroxyethyl-3-phenylisoxazol-4-yl]benzenesulfonamide.

Claim 33. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is [2-trifluoromethyl-5-(3,4-difluorophenyl)-4-oxazolyl]benzenesulfonamide.

Claim 34. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 4-[2-methyl-4-phenyl-5-oxazolyl]benzenesulfonamide.

Claim 35. (Previously presented) The composition of claim 22 wherein the cyclooxygenase-2 inhibitor is 4-[5-(3-fluoro-4-methoxyphenyl-2-trifluoromethyl)-4-oxazolyl]benzenesulfonamide.

Claim 36. (Previously presented) A composition comprising 4-[5-(4-methylphenyl)-3-(trifluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide, N'-[[5-(4-fluorophenoxy)furan-2-yl]-1-methyl-2-propynyl]-N'-hydroxyurea and a cyclosporin compound.

Claim 37. (Previously presented) A composition comprising 4-[5-(3-fluoro-4-methoxyphenyl)-3-(difluoromethyl)-1H-pyrazol-1-yl]benzenesulfonamide, N'-[[5-(4-fluorophenoxy)furan-2-yl]-1-methyl-2-propynyl]-N'-hydroxyurea and a cyclosporin compound.

PHA 4151.7 (2916/4)  
PATENT

Claim 38. (Previously presented) A composition comprising 4-[5-methyl- $\xi$ -phenylisoxazol-4-yl]benzenesulfonamide, N'-[[5-(4-fluorophenoxy)furan-2-yl]-1-methyl-2-propynyl]-N'-hydroxyurea and a cyclosporin compound.